

CIRCULAR SAWS



DW378G **7-1/4" H.D. HIGH TORQUE FRAMING SAW**

Dewalt

Lightweight - 13.0 lbs. to decrease user fatigue.

15.0 Amp, high-torque motor for increased productivity.

50 bevel capacity increases range of applications.

Integrated saw hook to hang tool on rafters/trusses.

High-strength cast aluminum base with integral stiffeners provides superior durability.

Lower guard design improves performance when making bevel cuts and cutting shims.

ITEM#: 027205
15AMP, 13LBS



DW364 **7-1/4" SUPER SAWCAT**

Dewalt

W/BRAKE, DROP SHOE

Rear pivot depth of cut adjustment allows your hand to remain behind the tool at all depth of cuts.

Powerful 15.0 Amp, 2,075 MWO motor made for long life and difficult applications.

Heavy-gauge, high strength aluminum alloy base for increased durability on worksite.

50 beveling capacity increases capacity in various applications.

Electric brake stops blade after use.

ITEM#: 027210,
#027208 RECONDITIONED



MIL6390-20 **7 1/4 15AMP TILT LOK CIRCULAR SAW**

Milwaukee

New exclusive Tilt-Lok – main handle adjusts to the work or most comfortable work position.

10.4 pounds net weight - lightest 7-1/4 inch, 3.25 maximum horsepower saw reduces operator fatigue, easier to handle.

15 amp, 3.25 peak horsepower motor - most powerful circle saw cuts tough materials including headers, microlams and wet lumber with ease.

Wide, clear sight line - superior blade visibility from either side.

Specifications:

Voltage 120 AC/DC
Amps 15.0
Blade Size 7-1/4 in.
No Load Speed 5,800 RPM
Spindle 5/8" in.
Cord Type 9 ft. Fixed
Construction Type Double Insulated
Metal/Wood Cutting Wood
Electric Brake No
Spindle Lock Yes
Soft Grip Handle Yes
Adjustable Handle Yes
Blade Position Right
Depth of Cut at 90° 2-7/16 in.
Depth of Cut at 45° 1-13/16 in.
Depth of Cut at 50° 1-11/16 in.
Length 13-3/4 in.
Tool Weight 10.4 lbs.
Shipping Weight 14.1 lbs.

The Tilt-Lok™ handle on Milwaukee's 6390-20 is the most revolutionary concept for circular saws in years. The eight position cushioned top handle adjusts to any cutting application maximizing comfort and control. Weighing in at 10.4 pounds and delivering 3.25 maximum horsepower, this tool offers the best power to weight ratio in the industry. The blade can bevel to 50 degrees and offers superior visibility and a clear sight line from either side. Helical steel gears and a 22 amp switch are just two of the features that ensure the Milwaukee's reputation for durability.

ITEM#: 010864



6390-21 **7 1/4" CIRCULAR SAW**

New exclusive Tilt-Lok™ main handle adjusts to the work or most comfortable work position.

10.4 pounds net weight - lightest 7-1/4 inch, 3.25 maximum horsepower saw reduces operator fatigue, easier to handle.

15 amp, 3.25 peak horsepower motor - most powerful circle saw cuts tough materials including headers, microlams, and wet lumber with ease.

Wide, clear sight line - superior blade visibility from either side.

Specifications

Voltage 120 AC/DC

Amps 15.0

Blade Size 7-1/4 in.

No Load Speed 5,800 RPM

Spindle 5/8 in.

Cord Type 9ft. Fixed

Construction Type Double Insulated

Metal/Wood Cutting Wood

Electric Brake No

Spindle Lock Yes

Soft Grip Handle Yes

Adjustable Handle Yes

Blade Position Right

Depth of Cut at 90(2-7/16 in.

Depth of Cut at 45(1-13/16 in.

Depth of Cut at 50(1-11/16 in.

Length 13-3/4 in.

Tool Weight 10.4 lbs.

Shipping Weight 17.5 lbs.

Carrying case included

The Tilt-Lok™ handle on Milwaukee's 6390-20 is the most revolutionary concept for circular saws in years. The eight position cushioned top handle adjusts to any cutting application maximizing comfort and control. Weighing in at 10.4 pounds and delivering 3.25 maximum horsepower, this tool offers the best power to weight ratio in the industry. The blade can bevel to 50 degrees and offers superior visibility and a clear sight line from either side. Helical steel gears and a 22 amp switch are just two of the features that ensure the Milwaukee's reputation for durability.

ITEM#: 010890

CIRCULAR SAW ACCESSORIES



Dewalt Circular Saw & Carbide Blades

Dewalt

A large stock of blades available. Please call for more information for your specific application.



Milwaukee Circular Saw & Carbide Blades

Milwaukee

A large stock of blades available. Please call for more information for your specific application.

JIG AND SCROLL SAWS



DW313 VS JIG SAW 0-3100 SPM

Dewalt

4.5 Amp motor moves blade at 0-3,100 spm providing power and speed control for demanding cutting applications.

1" stroke provides greater cutting capacity.

Variable speed trigger allows the user to match the blade speed with the application.

100% ball-bearing construction provides superior durability.

Shoe bevels 45° in both directions for beveled cuts.

ITEM#: 027253

RECIPROCATING SAWS & SAWZALLS



DW303MK **RECIPROCATING SAW KIT**

Dewalt

Powerful 9.0 Amp motor for fast efficient cutting in the most demanding applications.

Lever-action keyless blade clamp for quick and easy blade changes without touching any hot blades.

6.7 lbs lightweight design allows for longer use with less fatigue.

Compact design, only 17.25" in length, allows for increased cutting access in those hard to reach areas.

Variable speed of 0-2, 400 spm provides fast, efficient cutting and control in every application.

Longer 1-1/8" stroke length for improved cutting performance and speed

100% ball and roller bearings for increased tool life and cutting performance

ITEM#: 027197



DW309K **10 AMP HD RECIP SAW KIT**

Dewalt

Powerful 11.8 Amp motor designed for heavy-duty applications.

Lever-action keyless blade clamp allows for quick and easy blade changing.

Counter-balance mechanism minimizes vibration and reduces user fatigue.

0-2,900 strokes per minute and 1-1/4" stroke length deliver fast cutting.

Variable speed dial and trigger provide efficient cutting speed with improved control.

Push-button adjustable shoe easily adjusts depth of cut and extends blade life.

ITEM#: 027255

1-1/4" STROKE



JR3000VT
RECIPROCATING SAW

Makita

“Tool-less” Blade Change and Shoe Adjustment
Variable speed (0-2,3000 SPM) for precise cutting in a wide variety of materials
Powerful 6 AMP motor for continuous operation
Long 1-3/16” stroke for faster cutting
All ball and needle bearings for long tool life
Accepts standard 1/2” shank blades
Adjustable slide-out shoe for longer blade life
Lock-on button for continuous operation
Blade can be inverted for near flush cutting
Lightweight (6.8 lbs.) for operator comfort
Double insulated

Standard Equipment

1 ea. Blade (#21, #22, #23)

Plastic tool case (824412-1)

ITEM#: 175306

W/CASE 6 AMP



MIL6537-22
SUPER SAWZALL

Milwaukee

10 Amp High Performance Super Sawzall
 Counter Balance
 Gear Protection System
 Milwaukee Electronic Speed Control 0-3200 SPM

Specifications

Voltage 120 AC
 Amps 10.0
 Stroke Length 1-1/4 in.
 No Load Speed 0-3,200 SPM
 Cord Type 8ft. Quik-Lok
 Construction Type Grounded
 Switch Type Trigger
 Dial Speed Control Yes
 Keyless Blade Clamp Yes
 Keyless Adj. Shoe Yes
 Adjustable Handle Np
 Keyless Adj. Shoe Yes
 Adjustable Handle No
 Orbital Action No
 Counter-Balancce Yes
 Impact Protection Yes
 Length 17-7/8 in.
 Tool Weight 8.8 lbs.
 Shipping Weight 15.3 lbs.

Includes

Two Super Sawzall(Blades

ITEM#: 010866

W/ QUICK LOK BLADE CLAMP 8 AMP



MIL6176-20 **14" CHOP SAW**

Milwaukee

15 amp, 2400 watts/3.2 maximum horsepower power output
3900 RPM, 5 inch pipe cutting capacity
Heavy-duty cast iron base.
Spindle lock for convenient changing of abrasive wheels

Specifications:

Voltage 120 AC/DC
Amps 15.0
Wheel Size 14 in.
Max. HP 3.2
Spindle 1 in.
No Load Speed 3,900 RPM
Spindle Lock Yes
Bevel Capacity 45(
Capacity in O.D. Pipe 5 in.
Capacity in Bar Stock 3-5/8 in.
Capacity in Square Stock 5 in.
Maximum Opening 9 in.
Length 16 in.
Tool Weight 47.5 lbs.
Shipping Weight 51.3 lbs.

The 6176-20 Cut-Off Machine has a powerful 15 amp motor designed for maximum cutting efficiency, performance and durability allowing for fast cutting of drywall track in bundles, angle iron, conduit, pipe, channels, tubing, and rebar up to a 5 inch maximum capacity. A quick set-up, quick release locking device holds material being cut securely during the cutting process. Material can be angle cut up to 45 degrees. Arm locks down for easy portability when moving this tool to the jobsite.

ITEM#: 031980
15 AMP 3.2 HP

HILTI SAW



WSR 900-PE RECIPROCATING SAW ELECTRIC

Hilti

Smart Power System- Increases power input when tool comes under load, maintaining the stroke rate.

Orbital action (used in wood applications) provides pendulum action to the blade for faster efficient cutting.

Counter-balance mechanism greatly reduces vibration on the tool.

D handle grip allows the user to handle tool in a variety of positions, increases performance, safety, and reduces worker fatigue.

Stroke rate regulator, 6 settings allow variable stroke speed for a variety of applications (high speed for wood [6], lower speed for standard metal [3])

Integrated safety switch reduces accidental engagement of tool during transportation

Recessed power cord- Helps prevent accidental cutting, Allows user to do cutting in tight spaces.

ITEM # 191700
#00378275



WSR 650-A WITH 2.0 AH DELUXE (2 BATT) 24V RECIPROCATING SAW

Hilti

The first in a series of 24-volt tools for the professional user - the WSR 650-A Cordless Reciprocating Saw.

Supplied with (1) 2.0-Ah nickel cadmium (NiCd) battery, (1) C7/24 standard Charger, (1) 6 x 6 wood saw blade, operating instructions and list of safety precautions, packed in an impact-resistant plastic box.

ITEM # 191705

RECIP SAW & SAWZALL ACCESSORIES

SUPER SAWZALL BLADES

Milwaukee

Too many options to mention! Call us and we'll help you find the right blade.



RADIAL ARM & POWER MITER SAWS

DW705S 12" H.D. COMPOUND MITER SAW

Dewalt

15 Amp motor, 4,000 rpm provides extended power and durability.

Stainless steel detent plate with 9 positive stops delivers repeatable accuracy and worksite durability.

Extra-tall sliding fence allows 5-1/4" crown moldings to be cut standing vertically.

Bevels 0-45(miter (left and right) for greater versatility cutting angles.

Lightweight (40 lbs.) with built-in carry handle for easy portability.

Works great with the DW723 miter saw stand.

ITEM#: 028154



RADIAL ARM & MITER SAW ACCESSORIES

CARBIDE BLADES

Dewalt

Please call for information for your specific application.



SPECIALTY SAWS AND ACCESSORIES



DW871 **14" HD CHOPSAW**

Dewalt

Powerful 15.0 Amp/5.3 HP (maximum motor HP) motor provides more overload capacity, increasing performance and durability.

Patented tool-free, 45(adjustable fence allows for fast and accurate angle cuts without the hassle of using a wrench.

Ergonomically designed "D" handle provides a more comfortable hand position reducing user fatigue and increase productivity.

Quick-lock vise allows for fast clamping on different size materials to increase productivity.

Extra wide solid steel base provides increased stability when cutting longer material.

Heavy-duty lock down pin allows head of the saw to be locked in the carrying position without the use of a chain.

The solid steel base also allows users to weld jigs or stops directly to the base.

On-board wheel change wrench allows for convenient storage greatly reducing the risk of lost wrenches.

Heavy-duty compression spring provides smooth movement and greater durability than torsion springs.

The four pre-ripped holes in the base allow easy bolt down to any workbench.

Durable metal top handle allows saw to be carried easily.

Spindle lock allows user to make wheel changes fast and easy saving time and money.

Large cutting capacity (5" round / 4-1/2 " x 6-1/2" rectangle) provides the ability to cut a wide variety of materials.

Allows the users to channel sparks.

Easily accessible brushes allow for convenient servicing on the worksite minimizing downtime.

ITEM#: 027305
5.3HP, 15 AMP, AC/DC



DW870 **MED. DUTY CHOPSAW**

Dewalt

15.0 Amp/3.2 HP (maximum motor HP) motor provides overload capacity, increasing performance and durability.

Ergonomically designed “D” handle provides a more comfortable hand position reducing fatigue and increasing productivity.

Quick-lock vise allows for fast clamping on different size materials to increase productivity.

45° pivoting fence allows for fast and accurate angle cuts.

Steel base allows users to weld jigs or stops directly onto the base.

Spindle lock allows users to make wheel changes fast and easy saving time and money.

Top handle allows the saw to be carried around easily.

Chain lock-down allows the head of the saw to be locked in the carrying position.

ITEM#: 027306
15 AMP, 3800 RPM



6232-6 **4 3/4 DEEP CUT BANDSAW**

Milwaukee

Milwaukee’s Deep Cut Portable Band Saws have a cutting capacity of 4-3/4 inch x 4-3/4 inch. With high torque and a powerful motor this band saw will maintain a steady, optimum blade speed. The excellent balance, high visibility and quick blade change system make this band saw easy to work with. Using an all ball and roller bearing construction, and worm gear and chain drive mechanism this tool is built to last. A self-lubricating system is used for maximum wear resistance and long life. No oiling is needed.

ITEM#: 010862
W/CASE



RTM01
ROTOMITE DRYWALL CUTTER

Rotozip

3.6 Amp power

30,000 RPM

2.4 lbs.

Removable base/depth guide

Bump off switch

Premium 10 ft. rubber cord

No handle-fits into tight places

ITEM#: 096875

DIAMOND BLADES

TARGET

Diamond Blades (Barracuda)

Target

Diamond Blades for Concrete (cured and green) and Tuckpointing.

So many options and variations, please call us for your cutting and grinding needs.

DIAMOND CORE BITS



DIAMOND CORE BIT 5500 MILLENIUM

Target

Core bits available in many sizes. Please call for more information.

The 5500 is for longest life and lowest cost per hole when drilling a wide range of critically hard materials with steel reinforcing. Also brick and block.

ABRASIVE BLADES

TARGET

Grind Wheels

Target

Grind wheels for metal, concrete, cast iron, and steel.

Variety of sizes and arbors available.