

OTHER TYPES OF WATERSTOPS AVAILABLE FROM GREENSTREAK. PLEASE CALL US FOR YOUR WATERSTOP NEEDS.

WATERSTOPS, BENTONITE

WATERSTOP ADHESIVE FOR RX101

Cetco

ITEM # 719030 1 GAL UNIT

WATERSTOP RX101

Cetco

WATERSTOP-RX® is a sodium bentonite based waterstop designed to stop water infiltration through cast-in-place concrete construction joints by expanding upon contact with water to form a positive seal against the concrete. The key to WATERSTOP-RX's effectiveness is its 75% sodium bentonite content which provides superior expansion to seal and fill voids and cracks in the concrete.

ITEM # 719035 3/4" X 1" X 16.67' ROLL



SUPERSTOP WATERSTOP

Tremco

A multiple composite waterstop, which combines the strength and toughness of conventional waterstop with the self-sealing ability of bentonite.

ITEM # 794380 1/2" X 1" X 20' ROLL

794382 3/4" X 1" X 13' ROLL

VAPOR AND AIR BARRIERS

MOISTOP 395 VAPOR BARRIER

Fortifiber

Moistop® sets the industry standard for Underslab Vapor Retarders. With a water vapor permeance of less than .30 perms, it exceeds ASTM E-1745 requirements for water vapor permeance, providing an extremely effective barrier to moisture vapor transmission through concrete slabs.

ITEM # 717069 8' X 250' ROLL

Omaha, NE (800) 383-1272 • Rockford, IL (800) 383-3808
Rock Island, IL (800) 383-1240 • Waterloo, IA (800) 383-2959



THERMAL/WATERPROOFING/ DOORS

www.stetsonbuildingproducts.com



MOISTOP SEALING TAPE GRADE 499

Fortifiber

Moistop Tape was designed specifically for use with the Fortifiber Building Systems Group's complete line of Moistop Underslab Vapor Retarders. Moistop Tape's excellent adhesive properties help assure tight joints and smooth underslab installations while maintaining the vapor retarding characteristics required by ASTM E-1745 specifications.

ITEM # 717071 2" X 36 YARDS (108') ROLL



PERM-A-BARRIER SYS.4000 WALL MEMBRANE

W.R. Grace

Perm-A-Barrier wall membranes are ideal for protecting the building superstructure from the damaging effects of the elements. By minimizing air and water vapor flow through the building exterior, Perm-A-Barrier wall membranes: prevent premature deterioration of the building envelope; enhance thermal performance of the structure and save energy costs; improve comfort for the building occupants.

ITEM # 717462 3'X75' ROLL
717466 3'X75" ROLL (LOW TEMPERATURE)



AQUABAR B

Fortifiber

Aquabar® "B" is an effective moisture barrier for use in a variety of interior applications including; wood flooring and ceramic tile on floors walls and countertops - as well as stone and interior tile applications using gypsum wood or ceramic board substrates. It reduces moisture migration to protect wood floors, tile and backings from such damaging effects as buckling, cupping, rotting or cracking.

ITEM # 717072 36" X 167' ROLL



AIR SHIELD LM

W.R. Meadows

AIR-SHIELD Self-Adhering Air-Barrier and Flashing Membrane is part of a total W. R. MEADOWS SYSTEM to complete the building envelope. It is a roll-type product that is nominally 40 mils thick. The membrane's controlled thickness is fabricated from cross-laminated polyethylene bonded to specially modified asphalt.

This unique, self-adhesive membrane, protected by a special release paper, is strong and durable. It remains flexible when surface mounted and will adhere to most primed surfaces at minimum temperatures of 40°F (4°C). [A low temperature version for applications between 20°F (-7°C) and 60°F (16°C) is also available]. The membrane provides excellent protection as a tough barrier or flashing that won't shrink, sag, dry out, crack or rot. It offers excellent resistance to punctures during installation. The self-healing characteristics of AIR-SHIELD facilitate recovery if minimal damage is sustained under normal use applications, i.e. when penetrated with self-tapping screws or nails.

ITEM	# 797261	12" X 67' ROLL
	# 797265	36" X 67' ROLL



VAPOR-MAT VAPOR RETARDER

W.R. Meadows

SEALTIGHT VAPOR-MAT Underslab Vapor Retarders are a new generation of resin/chemical technologies. VAPOR-MAT provides the vaporproofing industry with a highly effective, economical choice for helping to reduce the penetration of moisture and water vapor through the slab into the structure. Thereby helping to reduce fungus, mildew and mold growth. These vapor retarders also help reduce radon gas from entering the structure. VAPOR-MAT is tough enough to withstand normal construction VAPOR-MAT conditions and traffic. It will not crack, puncture, snag, split or tear easily. VAPOR-MAT helps meet and maintain the maximum slab moisture transfer rate of 3 lbs./1000 sq. ft./24 hours, allowed by the flooring industry specifications. Meets all requirements of ASTM E 1745 Classes A, B & C.

ITEM	# 797270	15 MIL 12' X 200' ROLL
	# 797272	10 MIL 15' X 200' ROLL

VAPOR-MAT TAPE

W.R. Meadows

Use for taping seams of Vapor-Mat Vapor Retarder.

ITEM	# 797274	4" X 180' ROLL
------	----------	----------------

THERMAL/WATERPROOFING/ DOORS

www.stetsonbuildingproducts.com



BILD-R-TAPE

Owens Corning

Bild-R-Tape is a multi-purpose construction tape assembled using an acrylic based, pressure-sensitive adhesive combined with polypropylene film. *Bild-R-Tape* provides superior sealing, and ease of handling which are the characteristics of a high quality construction tape. *Bild-R-Tape* exhibits superior bonding to a range building products over a broad temperature ranges. *Bild-R-Tape* is formulated to resist mildew and mold growth. It is also designed to maintain its adhesive properties under high humidity conditions to provide a long lasting seal or closure.

ITEM # 791110 1 7/8" X 55 YARD ROLL



STEGO WRAP VAPOR RETARDER

Stego Industries

Stego Wrap is used as an exceptional vapor retarder, and as a protection course for below grade waterproofing applications.

Stego Wrap is a multi-layer plastic extrusion manufactured with only the highest grade of prime, virgin, polyolefin resins. Stego Wrap can be used in systems for the control of soil gases (radon, methane), soil poisons (oil by-products) and sulfates.

ITEM # 710460 10 MIL 20' X 150' ROLL
710461 15 MIL 14' X 140' ROLL




STEGO TAPE (Red)

Stego Industries

Stego Tape is a low permeance tape designed for protective sealing, hanging, seaming, splicing, and patching applications where a highly conformable material is required. It has been engineered to bond specifically to Stego Wrap 10-mil and 15-mil, making it ideal for sealing Stego Wrap seams and penetrations.

ITEM # 710462 4" X 180' ROLL

Cedar Rapids, IA (800) 383-7272 • Des Moines, IA (800) 383-2181
Dubuque, IA (800) 894-6272 • Grand Island, NE (800) 228-8572



PREMOULDED MEMBRANE WITH PLASMATIC CORE

W.R. Meadows

PREMOULDED MEMBRANE VAPOR SEAL with PLASMATIC CORE (PMPC) is a permanently bonded multi-ply semi-flexible core board. The core consists of a plasmatic matrix encased in two layers of pure-brown, high-melt point asphalt. The three-ply core is sandwiched between liners of asphalt-saturated felt and a glass-mat liner. An asphalt weathercoat is applied to the glass-mat liner. An asphalt weathercoat is applied to the glass-mat liner and covered with a polyethylene anti-stick sheet. It offers a (WVT) water vapor transmission rating of 0.00-grains/square foot/hour (as tested per ASTM E 96, water method) the lowest in the industry.

ITEM # 717016 1/8" X 4' X8' SHEET

MISCELLANEOUS ACCESSORIES

MISC. WATERPROOF ACCESSORIES

BITUTHENE LIQUID MEMBRANE

W.R. Grace

Two component, elastometric, liquid applied detailing compound for use with Grace waterproofing membranes; Bituthene® Liquid Membrane is a two component, elastometric, cold applied, trowel grade material designed for a variety of uses with the Grace waterproofing systems.

ITEM # 717412 1 1/2 GAL UNIT
717414 4 GAL UNIT

BITUTHENE DECK PREP TM

W.R. Grace

Low viscosity surface treatment used to level and repair rough concrete decks prior to installing Bituthene waterproofing; Bituthene® Deck Prep® is a low viscosity, two component, asphalt-modified urethane coating. It is used to level and repair rough concrete decks to which Bituthene waterproofing membranes will be applied.

ITEM # 717418 4 GAL UNIT

BITUTHENE MASTIC

W.R. Grace

One part, gun or trowel applied mastic for sealing Bituthene membrane terminations and details; Bituthene® Mastic is a rubberized, asphalt-based mastic. It has excellent adhesion to structural concrete, masonry, and wood.

ITEM # 717422 QUART TUBES
717424 5 GAL PAIL

Bituthene®
Waterproofing Systems

Bituthene®
Waterproofing Systems

Bituthene®
Waterproofing Systems